



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/993,191	11/05/2001	Leonid B. Goldgeisser	005-1	7386

30080 7590 02/28/2003

LAW OFFICE OF CHARLES E. KRUEGER
P.O. BOX 5607
WALNUT CREEK, CA 94596-1607

EXAMINER

NGUYEN, LONG T

ART UNIT	PAPER NUMBER
----------	--------------

2816

DATE MAILED: 02/28/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/993,191

Applicant(s)

GOLDGEISSER ET AL.

Examiner

Long Nguyen

Art Unit

2816

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 December 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) 8 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 and 9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 November 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Election/Restrictions

1. Applicant's election of Group I in Paper No. 6 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Drawings

2. The drawings are objected to because Figures 1-3 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Objections

3. Claim 7 is objected to because of the following informalities: "An" on line 1 should be changed to --A--. Appropriate correction is required.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 1-7 and 9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

With respect to claims 1 and 4, the recitation "to identically, within part tolerances, bias the MOS transistors" on lines 16 and 19, respectively, is indefinite because it is not clear how to

Art Unit: 2816

identically, within part tolerances, bias the MOS transistors. It is also not clear what the appropriate voltage/current value to be considered as “within part tolerances”.

Claims 2-3 and 5-6 are indefinite because they include the indefiniteness of claims 1 and 4, respectively. Further, “said biasing element” on line 2 of each of these claim is indefinite because it lacks clear antecedent basis, i.e., it is not clear whether it refers to the first biasing element of the second biasing element.

With respect to claim 7, “its” on lines 3, 5, 27, 32, and 34 is indefinite because it is not clear what “its” referred to, and should be changed to --said--. Further, “to identically, within part tolerances, bias the MOS transistors” on line 23 is indefinite for the same reason as discussed in claim 1 above. Also, “first and second series circuits ... gate terminal” on lines 29-35 is indefinite because it is misdescriptive since a series circuit must includes at least two elements, so a first circuit includes a first input transistor cannot be considered as a first series circuit, and a second circuit includes a second input transistor cannot be considered as a second series circuit; it appears that “series” on lines 29, 30, and 33 must be deleted. Also, “will” on line 36 is indefinite because “will” is not a positive recitation of the invention. Also, “any of three state previously applied to the inputs” lacks antecedent basis and is not clear what are the “three states previously applied to the inputs” since no such three states have been recited earlier, and it is not clear what “the inputs” refer to.

With respect to claim 9, the recitation “including the MOS circuit” on line 5 causes claim 9 to be indefinite because it claims an apparatus in the method claim. To overcome this problem, it appears that “including” on line 5 should be changed to --operating--. Further, “the ternary input signal” on line 8 lacks antecedent basis.

Art Unit: 2816

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 1-3 and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Dhong et al. (USP 4,816,706).

Insofar as understood in claim 1, Figure 9 of the Dhong et al. reference discloses a circuit which includes: a first series circuit (14, 48, 10, 18) coupling first (ground) and second (Vdd) supply voltage terminals (by way of transistors 24 and 22, respectively), with the first series circuit including a first load element (18) coupling the first supply voltage terminal (ground) to a first node (32), a first biasing element (48, 10) coupling the first node to a second node (26), and a first MOS transistor (14) coupling the second node to the second supply voltage terminal (Vdd); a second series circuit (20, 48, 12, 16) coupling the first (ground) and second (Vdd) supply voltage terminals (by way of transistors 24 and 22, respectively), with the second series circuit including a second load element (20) coupling the first supply voltage terminal to a third node (34), a second biasing element (48, 12) coupling the third node to a fourth node (28), and a second MOS transistor (16) coupling the fourth node to the second supply voltage terminal (Vdd); a feedback network (the connection of node 32 to gate of transistor 16, and the connection of node 34 to gate of transistor 14) coupling the first node (32) to the gate terminal of the second MOS transistor (16) and third node (34) to the gate terminal of the first MOS transistor (14); and wherein “said first and second load elements, biasing elements, and MOS

Art Unit: 2816

transistors fabricate utilizing MOSFET technology and with the load and biasing elements creating voltage drops to identically, within part tolerances, bias the MOS transistors in triode mode to achieve a third operating point” is also met because the structure of the claim is fully met.

Insofar as understood in claim 2, Figure 9 shows that each of the first (48,10) and second (48, 12) biasing elements includes a resistor (10 and 12. Note that it is known in the art that a p-channel MOS device having its gate connected to ground is a resistor, see p-channel transistor 22 in Figure 4 and Col. 6, lines 34-42 of Arcus – USP 6,124,741).

Insofar as understood in claim 3, Figure 9 shows that each of the first (48, 10) and second (48, 12) biasing elements includes a diode-connected transistor (48).

Insofar as understood in claim 9, Figure 9 of the Dhong et al. reference discloses a circuit as discussed with regard to claims 1-3 above. Hence, it is also deemed to meet the limitations of the method recited in claim 9. Further, it is seen that the operating a latch circuit in a ternary logic unit is intended use (i.e., it is up to the designer to use the latch circuit in any environment such as in a memory unit or in a ternary unit, depends on the application).

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 1, 2, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over J. D. Heightley et al. (USP 3,540,010) in view of Wrathall et al. (USP 4,701,718).

Art Unit: 2816

With respect to claim 1, Figure 2 of the J. D. Heightley et al. reference discloses a circuit (19) which includes: a first series circuit (34, 28, 20) coupling first (V) and second (109) supply voltage terminals, with the first series circuit including a first load element (34) coupling the first supply voltage terminal (V) to a first node (32), a first biasing element (28) coupling the first node to a second node (collector of 20), and a first transistor (20) coupling the second node to the second supply voltage terminal (109); a second series circuit (35, 30, 21) coupling the first (V) and second (109) supply voltage terminals, with the second series circuit including a second load element (35) coupling the first supply voltage terminal to a third node (33), a second biasing element (30) coupling the third node to a fourth node (collector of 21), and a second transistor (21) coupling the fourth node to the second supply voltage terminal (109); a feedback network (the connection of the base of transistor 20 to node 33, and the connection of the base of transistor 21 to node 32). The difference between the prior art and the claim invention is that the prior art reference fabricate the circuit using bipolar technology while the claim invention fabricate the circuit using MOSFET technology. However, the Wrathall et al. reference discloses that MOS technology offered some advantages over bipolar technology such as lower power and greater yield (Col. 1, lines 10-15). Therefore, it would have been obvious to one having skill in the art at the time the invention was made to modify the circuit in Figure 2 of the J. D. Heightley et al. reference to fabricate the circuit using MOS technology instead of bipolar technology for the purpose of improving the yield and reducing the power consumption of the circuitry. Thus, this modification meets all the limitation of claim 1 including the first (20) and second (21) transistors are MOS transistors, and “with said first and second load elements, biasing elements, and MOS transistors fabricate utilizing MOSFET technology and with the load and biasing

Art Unit: 2816

elements creating voltage drops to identically, within part tolerances, bias the MOS transistors in triode mode to achieve a third operating point” is also met because the structure of the claim is fully met.

Insofar as understood in claim 2, Figure 2 of the J. D. Heightley et al. shows that each of the first (28) and second (30) biasing elements includes a resistor.

Insofar as understood in claim 9, the above combination et al. reference discloses a circuit as discussed with regard to claim 1 above. Hence, it is also deemed to meet the limitations of the method recited in claim 9. Further, it is seen that the operating a latch circuit in a ternary logic unit is intended use (i.e., it is up to the designer to use the latch circuit in any environment such as in a memory unit or in a ternary unit, depends on the application).

10. Claims 1, 3, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Waaben (USP 3,849,675) in view of Wrathall et al. (USP 4,701,718).

With respect to claim 1, Figure 1 of the Waaben reference discloses a circuit (10) which includes: a first series circuit (D18, D16, T12) coupling first (VD1) and second (Vref1) supply voltage terminals, with the first series circuit including a first load element (D18) coupling the first supply voltage terminal (VD1) to a first node (20), a first biasing element (D16) coupling the first node to a second node (collector of 12), and a first transistor (12) coupling the second node to the second supply voltage terminal (Vref1); a second series circuit (D24, D22, 14) coupling the first (VD1) and second (Vref1) supply voltage terminals, with the second series circuit including a second load element (D24) coupling the first supply voltage terminal to a third node (26), a second biasing element (D22) coupling the third node to a fourth node (collector of 14), and a second transistor (14) coupling the fourth node to the second supply voltage terminal

Art Unit: 2816

(Vref1); a feedback network (the connection of the base of transistor 12 to node 26, and the connection of the base of transistor 14 to node 20). The different between the prior art and the claim invention is that the prior art reference fabricate the circuit using bipolar technology while the claim invention fabricate the circuit using MOSFET technology. However, the Wrathall et al. reference discloses that MOS technology offered some advantages over bipolar technology such as lower power and greater yield (Col. 1, lines 10-15). Therefore, it would have been obvious to one having skill in the art at the time the invention was made to modify the circuit in Figure 1 of the Waaben reference to fabricate the circuit using MOS technology instead of bipolar technology for the purpose of improving the yield and reducing the power consumption of the circuitry. Thus, this modification meets all the limitation of claim 1 including the first (12) and second (14) transistors are MOS transistors, and “with said first and second load elements, biasing elements, and MOS transistors fabricate utilizing MOSFET technology and with the load and biasing elements creating voltage drops to identically, within part tolerances, bias the MOS transistors in triode mode to achieve a third operating point” is also met because the structure of the claim is fully met.

With respect to claim 3, the above combination shows that each of the first (D16) and second (D22) biasing elements is a diode but does not specifically discloses that each of the biasing elements is a diode-connected transistor. However, it is well known in the art that a diode is easily formed from a transistor-connected (by connecting the gate of the transistor to the drain or source terminal of that transistor). Therefore, it would have been obvious to one having skill in the art at the time the invention was made to use specific diode-connected transistor for broad diode for the purpose of easily integrated.

Art Unit: 2816

Insofar as understood in claim 9, the above combination et al. reference discloses a circuit as discussed with regard to claim 1 above. Hence, it is also deemed to meet the limitations of the method recited in claim 9. Further, it is seen that the operating a latch circuit in a ternary logic unit is intended use (i.e., it is up to the designer to use the latch circuit in any environment such as in a memory unit or in a ternary unit, depends on the application).

11. Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over J. D. Heightley et al. (USP 3,540,010) in view of Wrathall et al. (USP 4,701,718), and further in view of Arcus (USP 6,124,741).

With respect to claim 4, Figure 2 of the J. D. Heightley et al. reference discloses a circuit (19) which includes: a first series circuit (34, 28, 20) coupling first (V) and second (109) supply voltage terminals, with the first series circuit including a first load element (34) coupling the first supply voltage terminal (V) to a first node (32), a first biasing element (28) coupling the first node to a second node (collector of 20), and a first NPN transistor (20) coupling the second node to the second supply voltage terminal (109); a second series circuit (35, 30, 21) coupling the first (V) and second (109) supply voltage terminals, with the second series circuit including a second load element (35) coupling the first supply voltage terminal to a third node (33), a second biasing element (30) coupling the third node to a fourth node (collector of 21), and a second NPN transistor (21) coupling the fourth node to the second supply voltage terminal (109); a feedback network (the connection of the base of transistor 20 to node 33, and the connection of the base of transistor 21 to node 32). The different between the prior art and the claim invention is that the prior art reference fabricate the circuit using bipolar technology while the claim invention fabricate the circuit using MOSFET technology. However, the Wrathall et al. reference discloses

Art Unit: 2816

that MOS technology offered some advantages over bipolar technology such as lower power and greater yield (Col. 1, lines 10-15). Therefore, it would have been obvious to one having skill in the art at the time the invention was made to modify the circuit in Figure 2 of the J. D. Heightley et al. reference to fabricate the circuit using MOS technology instead of bipolar technology for the purpose of improving the yield and reducing the power consumption of the circuitry. Thus, in this combination, the first NPN transistor (20) and the second NPN transistor (21) are now n-channel MOSFET transistor.

The above combination meets all the limitation of claim 4 except that the first loading element is a first PMOS transistor and the second loading element is a second PMOS transistor. However, the Arcus reference (transistor 22 in Figure 4 and Col. 6, lines 34-42) discloses that a PMOS transistor that has its gate connected to ground is a resistor. Therefore, it would have been obvious to one having skill in the art at the time the invention was made to modify the above combination to implement each of the resistor in the circuit by using a PMOS device having gate connected to ground because it functionally equivalent and easily integrated. Thus, this combinations meets all the limitation of claim 1 including the first PMOS (resistor 34 now is the first PMOS which having the gate connected to ground) and second PMOS (resistor 35 now is the second PMOS which having gate connected to ground) transistors, and “with said first and second load elements, biasing elements, and MOS transistors fabricate utilizing MOSFET technology and with the load and biasing elements creating voltage drops to identically, within part tolerances, bias the MOS transistors in triode mode to achieve a third operating point” is also met because the structure of the claim is fully met.

Art Unit: 2816

Insofar as understood in claim 5, it is seen in the above combination (as discussed in claim 4) that each of the first (28) and second (30) biasing elements includes a resistor.

Allowable Subject Matter

12. Claim 7 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Claim 6 would be allowed because the prior art of record fails to disclose or suggest a tristable CMOS latch which includes a first series circuit having a first PMOS transistor, a first biasing element, and a first NMOS transistor; a second series circuit having a second PMOS transistor, a second biasing element, and a second NMOS transistor; and wherein the first biasing element is a diode-connected transistor and the second biasing element is a diode-connected transistor with the recited connections and operations set forth in this claim.

13. Claim 7 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action.

Claim 7 would be allowed because the prior art of record fails to disclose or suggest a MOS circuit which includes a current source; a first clocking transistor; a tristable MOS latch including a first series circuit having a first load element, a first biasing element and a first MOS transistor, and a second series circuit having a second load element, a second biasing element and a second MOS transistor; a second clock transistor; and an input circuit having first and second transistors with the recited connections and operations set forth in claim 7.

Conclusion


14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

15. Any inquiry concerning this communication or earlier communications from the examiner should be directly to Examiner Long Nguyen whose telephone number is (703) 308-6063. The Examiner can normally be reached on Monday to Friday from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan, can be reached at (703) 308-4876. The fax number for this group is (703) 872-9318. The After Final fax number is (703) 872-9319.

Any inquiry of general nature or relating to the status of this application or proceeding should be directed to the group receptionist whose telephone number is (703) 308-0956.

February 25, 2003



Long Nguyen
Art Unit: 2816